

NORTH AMERICA'S #1 CABINET SAW



CAST IRON TABLE SAWS  
PRODUCT GUIDE





## HOW IT WORKS

### 1. Monitor & Detect

- The blade carries a small electrical signal.
- When skin contacts the blade, the signal changes because the human body is conductive.
- The change to the signal activates the safety system.




### 2. Brake Activation

- An aluminum brake springs into the spinning blade, stopping it in less than 5 milliseconds!
- The blade's angular momentum drives it beneath the table, removing the risk of subsequent contact.
- Power to the motor is shut off.




### 3. Reset

- Resetting the saw yourself is easy. Simply replace the blade and affordable brake cartridge and your saw is operational. The entire reset process takes less than 90 seconds.





# CAST IRON TABLE SAWS



Shown with 30" Fence & Rails

## CONTRACTOR

### VERSATILE QUALITY

- Multiple mobility choices for variable work sites
- Wide array of fence-rail-table configurations

#### GUARD



**Micro Blade Guard** ①

TSG-MG

**Dust Collection Blade Guard (available)** ②

TSG-DC

#### POWER



**1.75HP** - 1ph, 120V, 14A

#### FENCE & RAIL



**30" Aluminum Extrusion Fence & Rails** ③

58 1/2" w x 40" d x 34 3/4" h **245 lbs** - CNS175-SFA30

**36" T-Glide Fence, Rails & Table** ⑤

69 1/8" w x 45" d x 34 3/4" h **310 lbs** - CNS175-TGP36

**52" T-Glide Fence, Rails & Table**

85 1/4" w x 45" d x 34 3/4" h **335 lbs** - CNS175-TGP52

#### MOBILITY



**Integrated Mobile Base** ⑦

MB-CNS-000

**Mobile Cart** ⑧

MC-CNS

#### DUST PORT



#### Available:

**4" / 2 1/2" Dust Collection Panel**

CNS-DCP

#### Included:

**Dust Shroud** Below Table

**4" Dust Port** Below Table

#### TABLE



**Cast Iron Wings (available)**

CNS-CIWA

#### OPTIONS



See all compatible options on **pages 12-13**

Also Available:

## JOBSITE

### LIGHTWEIGHT. PORTABLE. SAWSTOP.

SawStop safety, quality and peace of mind that travels with you wherever you go.

Ask your dealer for details or visit [SawStop.com/jobsite](http://SawStop.com/jobsite)

Power	1.5HP, 120VAC 60 Hz, Univ.
Weight (With Cart)	108 lbs
Saw Dimensions (Stowed on end, with cart)	45" H x 26 1/4" W x 28 3/4" D



All specs and information subject to change without notice.



# CAST IRON TABLE SAWS



Shown with  
Dust Collection Blade  
Guard and 36" Fence & Rails

## PROFESSIONAL

### SUPERIOR PERFORMANCE

- Solid cast iron construction
- Peerless fit and finish
- Engineered for avid craftspeople and small-shop professionals

#### GUARD



**Micro Blade Guard** (standard on 1.75HP) ①

TSG-MG

**Dust Collection Blade Guard** ②

(standard on 3.0HP, available on 1.75HP)

TSG-DC

#### POWER



**1.75HP** - 1ph, 120V, 14A

**3.0HP** - 1ph, 230V, 13A

#### FENCE & RAIL



**30" Premium T-Style Fence, Rails & Table** ④

61 3/4" w x 31 1/8" d x 34" h

1.75HP: **367 lbs** - PCS175-PFA30

3.0HP: **380 lbs** - PCS31230-PFA30

**36" T-Glide Fence, Rails & Table** ⑤

69 1/8" w x 33" d x 34" h

1.75HP: **408 lbs** - PCS175-TGP236

3.0HP: **426 lbs** - PCS31230-TGP236

**52" T-Glide Fence, Rails & Table** ⑥

85 1/4" w x 33" d x 34" h

1.75HP: **431 lbs** - PCS175-TGP252

3.0HP: **449 lbs** - PCS31230-TGP252

#### MOBILITY



**Integrated Mobile Base** ⑨

MB-PCS-000

**Industrial Mobile Base w/ PCS Conv. Kit** ⑩

MB-PCS-IND

#### 99% DUST COLLECTION



**Provided by:**

Advanced Below-Table Dust Shroud and  
Dust Collection Blade Guard

#### OPTIONS



See all compatible options on **pages 12-13**



# CAST IRON TABLE SAWS



Shown with  
52" Fence & Rails

## THE INDUSTRIAL DIFFERENCE

versus the Professional Cabinet Saw

### INDUSTRIAL DESIGN

- Bigger hand wheels
- Larger metal motor access door
- Second access door

### MAXIMIZE SAFETY AND QUALITY

- Lock-out/tag-out switch
- Interrupt switch on access doors
- Available 5.0 & 7.5HP motors
- 5 year motor warranty

### HEAVIER DUTY FOR HIGH DEMAND ENVIRONMENTS

- 200+ more pounds of iron and steel
- Thicker and deeper cast iron table
- Thicker gauge steel
- Larger and deeper T-Glide fence
- Massive cast iron trunnion

## INDUSTRIAL

### INDUSTRIAL STRENGTH

- Precision, heavy-duty construction
- Heaviest weight, most powerful
- Engineered for heavy duty-cycle environments

### GUARD



**Dust Collection Blade Guard**  
TSG-DC

**3.0HP** - 1ph, 230V, 13A

**5.0HP** - 1ph, 230V, 19.7A  
3ph, 230V, 12A  
3ph, 480V, 5.8A  
3ph, 600V, 4.8A

### POWER



**7.5HP** - 3ph, 230V, 17.8A  
3ph, 480V, 9A  
3ph, 600V, 6.9A

### 36" T-Glide Fence, Rails & Table

69 1/4" w x 36 1/2" d x 34" h

**635 lbs** (may vary w/ motor)

3.0HP, 1ph, 230V - ICS31230-36

5.0HP, 1ph, 230V - ICS51230-36

5.0HP, 3ph, 230V - ICS53230-36

5.0HP, 3ph, 480V - ICS53480-36

### FENCE & RAIL



### 52" T-Glide Fence, Rails & Table

85 1/4" w x 36 1/2" d x 34" h

**685 lbs** (may vary w/ motor)

3.0HP, 1ph, 230V - ICS31230-52

5.0HP, 1ph, 230V - ICS51230-52

5.0HP, 3ph, 230V - ICS53230-52

5.0HP, 3ph, 480V - ICS53480-52

### MOBILITY



**Industrial Mobile Base**  
MB-IND-000

### Provided by:

Advanced Below-Table Dust Shroud and  
Dust Collection Blade Guard

### 99% DUST COLLECTION



### OPTIONS



See all compatible options on **pages 12-13**



# ACCESSORIES

## FENCE SYSTEMS

The SawStop fence systems give you accurate, repeatable results. The T-Glide Fence and Rail are made of heavy gauge steel for sure lockdown and reliably square cutting for years without deflection.

**30" ALUMINUM EXTRUSION FENCE 3**

**30" PREMIUM T-STYLE FENCE 4**

**36"/ 52" PROFESSIONAL T-GLIDE FENCE 5**

**36"/ 52" INDUSTRIAL T-GLIDE FENCE 6**



### BLADE GUARDS

### INSERTS

### BRAKES


### 10" BLADES



**MICRO BLADE GUARD**  
TSG-MG



**STANDARD PHENOLIC**  
TSI-SLD



**STANDARD**  
TSBC-10R2



**40T**  
CNS-07-148



**60T**  
CB104 184



**DUST COLLECTION  
BLADE GUARD**  
TSG-DC



**DADO PHENOLIC**  
TSI-DLD



**DADO**  
TSDC-8R2



**40T**  
BTS-R-40ATB



**80T**  
BTS-P-80HATB



# OPTIONS



## In-Line Router Tables\*

Optimize your SawStop saw with these beautiful cast iron tables with internal channels, a multi-adjustment fence with superior dust extraction, and elegant integration into your saw.

### RT-TGP

(Router-Ready Rails Required, Filler Table or Intermediate Cast Iron Wing Recommended)

- 27" x 16" Cast Iron Table
- 27" Fence
- Two Support Legs
- Power Switch
- Router Bit Safety Guard

#### Compatible with:

- Professional Cabinet Saw between rails (RT-Ready Rails) on 36" or 52" saws or left-install on 30", 36" or 52" saws
- Contractor Saw left-install with Cast Iron Wings CNS-CIWA
- Industrial Mobile Base MB-PCS-IND

#### Recommended:

- Router Lift RT-LFT
- Downdraft Dust Collection Box RT-DCB

### RT-TGI

(Router-Ready Rails Required, Filler Table Recommended)  
*Note: No filler table available for 36" saw*

- 30" x 16" Cast Iron Table
- 32" Fence
- Two Support Legs
- Power Switch
- Router Bit Safety Guard

#### Compatible with:

- Industrial Cabinet Saw between rails (RT-Ready Rails) or left-install
- Industrial Mobile Base MB-IND-000

- Flip Stop RT-FLS
- Double Horizontal Feather Board RT-HFD

- Single Vertical Feather Board RT-VFS
- Stock Guide for Router Fence RT-STP



## Standalone Router Table\* RT-FS/RT-PHFS

Expansive worktable paired with a multi-adjustment fence with superior dust extraction, broad accessory compatibility, and a powder-coated steel stand.

- 32" x 24" Cast Iron/Phenolic Table
- 32" Fence
- Steel Floor Stand: 35 1/2"h
- Power Switch
- Router Bit Safety Guard

#### Recommended:

- Router Lift RT-LFT
- Downdraft Dust Collection Box RT-DCB
- Double Horizontal Feather Board RT-HFD

- Single Vertical Feather Board RT-VFS
- Flip Stop RT-FLS
- Stock Guide for Router Fence RT-STP



## Benchtop Router Table\* RT-BT


Precision benchtop features a multi-adjustment fence with superior dust extraction, broad accessory compatibility, and a powder-coated steel stand.

- 27" x 16" Cast Iron Table
- 27" Fence
- Steel Stand: 23"w x 14 1/2"h x 15 1/2"d
- 2 1/4" Dust Port
- Power Switch
- Router Bit Safety Guard

#### Recommended:

- Router Lift RT-LFT
- Downdraft Dust Collection Box RT-DCB
- Double Horizontal Feather Board RT-HFD

- Single Vertical Feather Board RT-VFS
- Flip Stop RT-FLS
- Stock Guide for Router Fence RT-STP



## Four-Post Router Lift with Lock RT-LFT

Built for heavy-duty precision. Delivers easy above-table elevation measurement and adjustments. Optimized for SawStop Router Tables.

- Synchronized Chain Drive
- Heavyweight Parts
- 9 1/4" x 11 3/4" Plate
- Lock Tool
- Insert Ring Tool
- Reduction Collars for 3 1/4" and 3 1/2" Diameter Routers

#### Compatible with:

- Benchtop Router Table RT-BT
- Standalone Router Table RT-FS/RT-PHFS
- In-Line Router Tables RT-TGI/RT-TGP
- Downdraft Dust Collection Box RT-DCB

#### Recommended:

- 4 Pc. Phenolic Zero-Clearance Insert Ring Set RT-PZR
- 4 Pc. Phenolic Insert Ring Set RT-PIR
- 9 Pc. Brass Precision Template Guide Set RT-TGS

\*Product image includes accessories that are not standard equipment, but sold separately.



# OPTIONS



## Sliding Crosscut Table TSA-SA48

Engineered to deliver easy, repeatable, accurate results. Optimized to fit SawStop cast iron saws.

- Depth: 47 1/4", Travel: 55", Crosscut Capacity: 48"
- Extruded Aluminum Fence
- Two Flip Stops
- Oversized Miter Gauge with Miter Detents at 15 Degree Intervals
- Adjustable Feet

### Compatible with:

- T-Glide Industrial Fence System
- T-Glide Professional Fence System
- Premium Fence Assembly
- Standard Fence Assembly
- Folding Outfeed Table TSA-FOT
- Overarm Dust Collection TSA-ODC
- Floating Overarm Dust Collection Blade Guard TSG-FDC
- In-Line Router Tables (right-install only) RT-TGI/RT-TGP
- All Mobile Bases

## 30" Outfeed Table OFT30-CNS-000



### Compatible with:

- T-Glide Professional Fence System
- 30" Premium Fence System (PCS only)
- Overarm Dust Collection TSA-ODC
- Floating Overarm Dust Collection Blade Guard TSG-FDC
- In-Line Router Tables RT-TGI/RT-TGP



## Large Sliding Table TSA-SA70

Engineered for the demands of the industrial woodshop. Delivers easy, repeatable operation for cutting sheet goods and larger stock.

- Table Dimensions: 30" x 30 3/4"
- Travel: 71 1/2", Rip Capacity: 70", Crosscut Capacity: 118"
- Steel Construction
- 14 Sealed Steel Bearings
- Aluminum Fence
- Flip Stop

### Compatible with:

- T-Glide Professional Fence System (PCS only)
- Premium Fence Assembly
- T-Glide Industrial Fence System
- Floating Overarm Dust Collection Guard TSG-FDC
- Overarm Dust Collection TSA-ODC
- In-Line Router Tables (right-install only) RT-TGI/RT-TGP
- Folding Outfeed Table TSA-FOT



## Folding Outfeed Table TSA-FOT

Sized to match the width of your cast iron table and wings. Easy adjustability. Quickly stows for fast saw adjustments.

- Powder Coated Steel Construction
- Stamped Steel Support Plate
- Three Roller Bars
- 250 lb Capacity
- Adjustable Feet

### Compatible with:

- T-Glide Professional Fence System\*\*
- Premium Fence Assembly
- T-Glide Industrial Fence System
- Sliding Crosscut Table TSA-SA48
- Large Sliding Table TSA-SA70
- Floating Overarm Dust Collection Blade Guard TSG-FDC
- Overarm Dust Collection TSA-ODC
- In-Line Router Tables RT-TGI/RT-TGP
- All Mobile Bases\*\*



## Floating Overarm Dust Collection Guard TSG-FDC

Heavy-duty overarm designed to provide operator protection while removing table-top dust in both standard and non-through cuts.

- 4" Swinging Dust Tube
- Adjustable Blade Guard

### Compatible with:

- T-Glide Professional Fence System
- T-Glide Industrial Fence System
- Sliding Crosscut Table TSA-SA48
- Large Sliding Table TSA-SA70
- Folding Outfeed Table TSA-FOT
- 30" Outfeed Table OFT30-CNS-000
- In-Line Router Tables (left-install only) RT-TGI/RT-TGP
- Industrial Mobile Base MB-IND-000/MB-PCS-IND



## Overarm Dust Collection TSA-ODC

Remove dust up and out of the way. Maximize the potential of your Dust Collection Blade Guard.

- 1 1/2" Diameter Dust Tube
- Y into 4" Collection Port
- Two E-Coated Black Rail Clamps

Dust Collection Blade Guard (TSG-DC) is Required and Not Included

### Compatible with:

- T-Glide Professional Fence System
- T-Glide Industrial Fence System
- Sliding Crosscut Table TSA-SA48
- Large Sliding Table TSA-SA70
- Folding Outfeed Table TSA-FOT
- 30" Outfeed Table OFT30-CNS-000
- In-Line Router Tables RT-TGI/RT-TGP
- All Mobile Bases

\*\* FOT not compatible with contractor saw





# YOU ARE AT RISK

**1 INJURY EVERY 9 MINUTES  
10 AMPUTATIONS EVERY DAY**

Table saw injuries have life-changing consequences:

- Extreme pain and trauma
- Loss of income-earning abilities
- Loss of ability to pursue hobbies
- Regret that lasts a lifetime



*Typical SawStop finger save.*

**THOUSANDS OF FINGERS SAVED.  
AND COUNTING...**

**PROTECT YOURSELF** | [SawStop.com](http://SawStop.com) | 1-866-SAWSTOP  
(729-7867)